

**METHOD OF PRODUCING COMPOST TEA
AND APPARATUS THEREFOR**
CROSS-REFERENCE TO RELATED APPLICATIONS

This application is based on, and claims the benefit of, Provisional application
5 No. 60/259,236, filed January 2, 2001.

BACKGROUND OF THE INVENTION

(1) Field of the Invention

This invention relates to the use of compost tea. Compost tea is a solution
used to condition soil for healthy growth of plants. Compost tea has been recognized
10 as a product that can reduce or eliminate the use of pesticides and synthetic fertilizers.
The positive values of compost tea have been established through University studies
and practical experience.

(2) Description of Related Art

Compost tea has typically been prepared by brewing compost in water. A
15 variety of apparatus and techniques are disclosed in the "Compost Tea Brewing
Manual."

Other teachings pertinent to compost tea are found in Finn, U.S. Patent
5,583,045, which relates to a compost curing and odor control system; Kerouac, U.S.
Patent 6,352,855, which describes an in-vessel composting process and apparatus; and
20 Alms et al. U.S. Patent Publication 2002/0164781. Alms et al. discloses a compost
tea system including a perforate compost basket and at least one bubble generator.
However, a continuing need exists for improved means for the production of compost
tea that minimizes damage to the microorganisms in the tea.

SUMMARY OF THE INVENTION

25 The instant invention provides a method and apparatus for the efficient
production of compost tea from organic matter.

Specifically, the present invention provides an apparatus for producing
compost tea comprising:

- a tank of aqueous solution;
- 30 an extraction basket positioned over the tank so permit flow-through from the
basket into the tank;

a fluid conduit having a first end submerged at the bottom end of the tank, and a second end positioned over the extraction basket, and

a compressed air supply operatively connected to the bottom portion of the conduit to force the aqueous solution up through the conduit.

5 The instant invention further provides a method for producing compost tea comprising:

placing compost in an extraction basket;

positioning the extraction basket over a tank to permit flow-through from the basket into the tank;

10 introducing an aqueous solution into the tank;

positioning a fluid conduit having first and second ends, the fluid conduit having a first end submerged at the bottom of the tank, and a second end positioned to impinge on the compost in the extraction basket, and

supplying compressed air to the bottom portion of the conduit
15 to force aqueous solution up the tube and into the extraction basket.

BRIEF DESCRIPTION OF THE DRAWING

The Figure is a schematic, cross-sectional illustration of one embodiment of the present invention.

20 DETAILED DESCRIPTION OF THE INVENTION

The present invention can be more fully understood by reference to the Figure, in which tank 1 contains water or aqueous solution 2. Extraction basket 3 is positioned above the tank. The basket contains compost 4. Fluid conduit 5 has first end 5A submerged at the bottom end of the tank, and a second end 5B positioned over
25 the extraction basket. Compressed air supply 6 is operatively connected by connecting means 7 to the bottom portion of the conduit. The compressed air supply is preferably provided with a throttle, not shown. In operation of this apparatus, the compressed air forces the solution in the tank up through the conduit, circulating and aerating the solution, and empties it over the basket of compost, leaching the nutrients
30 and microorganisms from the compost, forming or enriching a compost tea. The basket is positioned above the tank so that the enriched compost tea collects in the tank below.

The compost tea formed according to the present invention can be applied to plants and their soils to provide nutrients and desirable microorganisms. The present method and apparatus provides an air powered method of extracting compost tea from solid compost into a liquid, sprayable form. The method and apparatus of the present invention allows a grower to leach composted organic matter, extracting the nutrients and microbes that exist in the compost into a liquid solution. The circulation of the compost tea according to the present invention permits the microorganisms to be cultured and increase the beneficial microbes and their by-products. This solution can be injected into an irrigation system or sprayed on with a conventional sprayer.

10 The instant process and apparatus, using air to power circulation for extraction and culturing of the compost tea, provides the additional advantage of minimal mechanical damage to microbes in the solution.

The leached solution from the compost can be further enhanced by adding nutrients such as sugar to the culture tank solution, to increase the microbial population. The compost is the source of beneficial microbes and the present apparatus extracts, collects, and cultures compost tea. This tea contains and extracts the desired beneficial organisms and their by-products.